

## SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name:** PRF LAPTOP

**Date:** 29/01/2009

**Supplier:** Taerosol Oy  
Aakkulantie 21  
FIN-36220 Kangasala  
Finland  
Tel. +358 (0)3 356 5600  
Fax. +358 (0)3 356 5656

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Ingredients considered hazardous to health:**

<u>CAS-number</u>	<u>Chemical name</u>	<u>Concentration</u>	<u>Symbol / Risk phrases</u>
64-17-5	Denaturated Ethanol	10-20 %	F, R11
107-98-2	1-Methoxy-2-Propanol	5-10 %	R 10
	Antistatic etc. additives	> 0,2 %	

### 3. HAZARDS IDENTIFICATION

-

### 4. FIRST AID MEASURES

**Eye contact:** Flush thoroughly with water. If irritation continues, call a doctor.

**Skin contact:** Wash with soap and water.

**Inhalation:** -

**Ingestion:** When taken internally, rinse with water. DO NOT VOMIT, contact doctor.

## 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** -

**Special protective equipment:** -

**Other recommendations:** -

## 6. ACCIDENTAL RELEASE MEASURES

**Notification procedures:** -

**Procedures if material is released or spilled:** -

**Environmental precautions:** -

**Personal precautions:** -

## 7. HANDLING AND STORAGE

**Handling:** Continuous or repeated contacts to skin must be avoided.

**Storage:** Temperature over 0°C

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Ventilation:** Adequate ventilation is recommended.

**Respiratory protection:** -

**Eye protection:** Normal industrial eye protection.

**Skin protection:** Repeated contacts to skin must be avoided.

### Exposure limits:

Ethanol	1000 ppm (8 h) 1900 mg / m <sup>3</sup> (8h)	1300 ppm (15 min) 2500 mg / m <sup>3</sup> (15 min)
1-Methoxy-2-Propanol	100 ppm (8 h) 360 mg / m <sup>3</sup> (8h)	150 ppm (15 min) 540 mg / m <sup>3</sup> (15 min)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance and odor:</b>	Clear liquid
<b>Boiling point:</b>	78 °C (Ethanol)
<b>Melting point:</b>	-
<b>Flash point:</b>	-
<b>Auto flammability:</b>	-
<b>Density:</b>	960 kg/m <sup>3</sup>
<b>Vapour pressure:</b>	-
<b>Viscosity at 40 °C:</b>	-
<b>Solubility in water:</b>	Soluble
<b>pH:</b>	7

## 10. STABILITY AND REACTIVITY

-

## 11. TOXICOLOGICAL DATA

**Inhalation:** -

**Eye irritation:** -

**Skin irritation:** Repeated exposure may cause skin dryness or cracking.

**Other acute toxicity:** Low toxicity.

## 12. ECOLOGICAL INFORMATION

**Environmental fate and effects:** -

**Additional:** Soluble in water. Evaporates partly from water or soil. Adsorbs in soil.

## 13. DISPOSAL CONSIDERATIONS

**Waste disposal:** Empty cans must be disposed according to laws and environment officials.

## 14. TRANSPORT INFORMATION

### CLEANING AGENT

UN-Number: -

ICAO/IATA: -

RID/ADR: -

Packing group: -

IMDG: -

EmS code -

LQ transport, no ADR marking

## 15. REGULATORY INFORMATION

### Risk phrase(s)

-

### Safety phrase(s)

-

## 16. OTHER INFORMATION

### List of Risk phrases regarding the chemicals

R 10	Flammable
R 11	Highly flammable

### Further information

Taerosol Oy

### Source of information

The information contained herewith is based on the information from raw material deliverers