		PART NO.	MATERIAL	COLOR	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	STYLE NO.
		FM-1 FM-2	EPDM RUBBER, 30 SHORE A (RMS-166) EPDM RUBBER, 40 SHORE A (RMS-180)	_			1.9 [.07]	32.3 [1.27]	1
	FAN MOUNT	FM-3	EPDM RUBBER, 30 SHORE A (RMS-166)	_	1.3 [.05]	1.5 [.06]	3 [.12 ]	22.2 [.88]	2
		FM-4 FM-5	EPDM RUBBER, 40 SHORE A (RMS-180) SILICONE RUBBER, 40 SHORE A (RMS-316)	BLACK	0.7 [.03]		18.5 [.73 ]	56 [2.20]	
		FM-6 FM-7	SILICONE RUBBER, 40 SHORE A (RMS-316) SILICONE RUBBER, 40 SHORE A (RMS-316)	_	2.5 [.10] 0.7 [.03]	2 [.08] 1.5 [.06]	14 [.55] 24 [.94]	53.8 [2.12] 73 [2.87]	3
		FM-8 FM-9	EPDM RUBBER, 30 SHORE A (RMS-166) EPDM RUBBER, 40 SHORE A (RMS-186)	-	N/A	N/A	4.3[.17]	21[.83]	4
	PANEL FAN								
	6.25[.25]		"A"		9		- "C"		
SECTION A-A	SECTION B-B	-	SECTION C-C	$\sim$ (	Ø <b>8</b> [.31]	SE		►	
$A \qquad A \qquad A \qquad A \qquad A$	Ø 10.3 [.40]	EM-5:			$\bigcirc$		• 2.4[.09]		3
TO PULL THROUGH A Ø5±1 [.197±.039] HOLE,	TO PULL THROUGH A Ø5±1[.197±.039] HOLE,	FM-6: <sup>-</sup>	TO PULL THROUGH A Ø4.3±0.2 [.161±.008] HO	DLE,		TO PULL 1	THROUGH A	Ø5±1 [.197±.	039] HOLE,
WITH MAXIMUM 1.4 [.055] PANEL AND 2 [.079] FAN THICKNES STYLE 1	SS WITH MAXIMUM 1.4 [.055] PANEL AND 3.1[.122] FAN THICKNESS WITH MAXIMUM 3 [.118] PANEL AND 15 [.591] FAN THICKNESS. FM-7: TO PULL THROUGH A Ø3.5±1 [.138±.039] HOLE, WITH MAXIMUM 0.8 [.031] PANEL AND 25-28 [.98-1.10] FAN THICKNESS. STYLE 2 STYLE 3					WITH 5.4 [.213] MAXIMUM TOTAL THICKNESS STYLE 4			
NOTES: 1. ALTERNATE UNITS FOR REFERENCE ONLY			FAN MOUNT						
D	ADDED FM-8 / -9, SEE CO 200544 SK 06.23.10	CREATED USING SOLIDWORKS		WN: SK	APP:			FINAL	
C B A REV.	C SEE CO 200399 SK 07/29/09 UNLESS NOTED OFFICET FOR TO					.COM	SEE	TABLE	PRINT TYPE CA

