

**PRF Label off**

Date 7.12.2017

Previous date: 28.11.2017

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier****1.1.1 Commercial Product Name**

PRF Label off

**1.1.2 Product code**

PELAB22

**1.2 Relevant identified uses of the substance or mixture and uses advised against****1.2.1 Recommended use**

Cleaning agent

**1.3 Details of the supplier of the safety data sheet****1.3.1 Supplier**

Taerosol Oy

**Street address**

Hampuntie 21

**Postcode and post office**

36220

**Postcode and post office**

Kangasala Finland

**Telephone**

03-3565600

**Email**

heikki.jalava@taerosol.com

**1.4 Emergency telephone number****1.4.1 Telephone number, name and address**Myrkytystietokeskus, Stenberginkatu 9, PL 100, 00210 Helsinki, 09-4711(vaihde),  
09-471977 (suora)**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****1272/2008 (CLP)**

Flam. Aerosol 1, H222

Flam. Aerosol 1, H229

Skin Irrit. 2, H315

Skin Irrit. 2, H317

STOT SE 3, H336

Aquatic Chronic 2, H411

**67/548/EEC - 1999/45/EC**

F+, Xi, N; R12-38-43-51/53-67

**2.2 Label elements****1272/2008 (CLP)**

GHS09 - GHS07 - GHS02

Signal word

**Danger****Hazard Statements**

H222

Extremely flammable aerosol.

H229

Pressurised container: May burst if heated.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H336

May cause drowsiness or dizziness.

H411

Toxic to aquatic life with long lasting effects.

**Precautionary Statements**

P102

Keep out of reach of children.



**PRF Label off**

Date 7.12.2017

Previous date: 28.11.2017

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P262	Do not get in eyes, on skin, or on clothing.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**2.3 Other hazards****3. COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Hazardous components**

CAS/EC and Reg. number	Chemical name of the substance	Concentration	Classification
64742-49-0 265-151-9	Naphtha (petroleum),hydrotreatedlight	30-40%	CLP:Flam.Liq. 2; H225 R 12 Skin.Irrit. 2; H315 R 38 STOT SE 3; H336 R 67 Asp.tox 1; H304 R 65 Aquatic Chronic 2; H411 R 51/53
106-97-8	butan	10-20%	F+; R12
200-857-2			;Flam. Gas 1, H220; Press. Gas
74-98-6	propan	10-20%	F+; R12
200-827-9			;Flam. Gas 1, H220; Press. Gas
94266-47-4	D-limonene	30-40%	Flam.Lig 2; H226,H315,317,H410 R12,R38,R43

**4. FIRST AID MEASURES****4.1 Description of first aid measures**

Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

**4.1.2 Inhalation**

In the case of inhalation of aerosol/mist consult a physician if necessary.

**4.1.3 Skin contact**

Get medical attention if symptoms occur.

**4.1.4 Eye contact**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

**4.1.5 Ingestion**

If swallowed, call a poison control centre or doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

Aspiration hazard if swallowed - can enter lungs and cause damage.

**4.3 Indication of immediate medical attention and special treatment needed**

Aspiration hazard

**5. FIREFIGHTING MEASURES**

**PRF Label off**

Date 7.12.2017

Previous date: 28.11.2017

- 5.1 Extinguishing media**
- 5.1.1 Suitable extinguishing media**  
ABC powder Dry chemical Carbon dioxide (CO<sub>2</sub>)
- 5.1.2 Extinguishing media which must not be used for safety reasons**  
Do NOT use water jet.
- 5.2 Special hazards arising from the substance or mixture**  
Explosive reaction may occur on heating or burning.
- 5.3 Advice for firefighters**  
Alcohol-resistant foam
- 5.4 Specific methods**  
Immediately evacuate personnel to safe areas.

**6. ACCIDENTAL RELEASE MEASURES**

- 6.1 Personal precautions, protective equipment and emergency procedures**  
Prevent unauthorised persons entering the zone. Prevent unauthorised persons entering the zone. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.
- 6.2 Environmental precautions**  
Prevent product from entering drains.
- 6.3 Methods and materials for containment and cleaning up**
- 6.4 Reference to other sections**

**7. HANDLING AND STORAGE**

- 7.1 Precautions for safe handling**  
Do not use in areas without adequate ventilation. No sparking tools should be used. Do not taste or swallow. Do not spray on a naked flame or any incandescent material. Do not smoke. Do not empty into drains. Do not store near combustible materials. Take precautionary measures against static discharges. Prevent vapour buildup by providing adequate ventilation during and after use.
- 7.2 Conditions for safe storage, including any incompatibilities**  
Do not store near combustible materials. Storage of flammable liquids
- 7.3 Specific end use(s)**

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

- 8.1 Control parameters**
- 8.1.1 Threshold limits**
- |            |                                       |                              |                                 |
|------------|---------------------------------------|------------------------------|---------------------------------|
| 106-97-8   | Butaani                               | 800 ppm (8 h)                | 1000 ppm (15 min)               |
|            |                                       | 1900 mg/m <sup>3</sup> (8 h) | 2350 mg/m <sup>3</sup> (15 min) |
| 74-98-6    | propan                                | 800 ppm (8 h)                | 1100 ppm (15 min)               |
|            |                                       | 1500 mg/m <sup>3</sup> (8 h) | 2000 mg/m <sup>3</sup> (15 min) |
| 64742-49-0 | Naphtha(petroleum), hydrotreatedlight | 500 ppm (8 h)                | 630 ppm (15 min)                |
|            |                                       | 1800 mg/m <sup>3</sup> (8 h) | 2300 mg/m <sup>3</sup> (15 min) |
- 8.1.2 Other information on limit values**  
not determined
- 8.1.3 Limit values in other countries**  
not determined

**PRF Label off**

Date 7.12.2017

Previous date: 28.11.2017

- 8.1.4 DNELs**  
not determined
- 8.1.5 PNECs**  
not determined
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls**  
not determined
- 8.2.2 Individual protection measures**
- 8.2.2.1 Respiratory protection**  
Provide adequate ventilation. Do not inhale aerosol. Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached.
- 8.2.2.2 Hand protection**  
It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.
- 8.2.2.3 Eye/face protection**  
Avoid contact with the skin and the eyes.
- 8.2.2.4 Skin protection**  
Wear suitable gloves and eye/face protection. Avoid contact with the skin and the eyes.
- 8.2.3 Environmental exposure controls**  
not determined

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- 9.1 Important Health Safety and Environmental Information**
- 9.1.1 Appearance**  
aerosol
- 9.1.2 Odour** Citrus
- 9.1.3 Odour threshold** -
- 9.1.4 pH** 7
- 9.1.5 Melting point/freezing point** -10°C
- 9.1.6 Initial boiling point and boiling range** < -20 °C
- 9.1.7 Flash point** < 0 °C
- 9.1.8 Evaporation rate** not determined
- 9.1.9 Flammability (solid, gas)** Extremely flammable.
- 9.1.10 Explosive properties**
- 9.1.10.1 Lower explosion limit** 2,3 til-%
- 9.1.10.2 Upper explosion limit** 9,5 til-%
- 9.1.11 Vapour pressure** not determined
- 9.1.12 Vapour density** not determined
- 9.1.13 Relative density** not determined
- 9.1.14 Solubility(ies)**
- 9.1.14.1 Water solubility** insoluble
- 9.1.14.2 Fat solubility (solvent - oil to be specified)** Soluble in hydrocarbons
- 9.1.15 Partition coefficient: n-octanol/water** not determined
- 9.1.16 Auto-ignition temperature** not determined
- 9.1.17 Decomposition temperature** not determined

**PRF Label off**

Date 7.12.2017

Previous date: 28.11.2017

<b>9.1.18</b>	<b>Viscosity</b>	not determined
<b>9.1.19</b>	<b>Explosive properties</b>	not determined
<b>9.1.20</b>	<b>Oxidising properties</b>	not determined
<b>9.2</b>	<b>Other information</b>	not determined

**10. STABILITY AND REACTIVITY**

<b>10.1</b>	<b>Reactivity</b> Exposure to sunlight.
<b>10.2</b>	<b>Chemical stability</b> Stable
<b>10.3</b>	<b>Possibility of hazardous reactions</b> not determined
<b>10.4</b>	<b>Conditions to avoid</b> Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
<b>10.5</b>	<b>Incompatible materials</b> not determined
<b>10.6</b>	<b>Hazardous decomposition products</b> not determined

**11. TOXICOLOGICAL INFORMATION**

<b>11.1</b>	<b>Information on toxicological effects</b>
<b>11.1.1</b>	<b>Acute toxicity</b> LD50/oral/rat =>5840 mg/kg OECD Test Guideline 401 LC50/inhalation/ 4 h/rat =>23.3 mg/LOECD Test Guideline 403
<b>11.1.2</b>	<b>Irritation and corrosion</b> Prolonged skin contact may cause skin irritation. Prolonged skin contact may defat the skin and produce dermatitis.
<b>11.1.3</b>	<b>Sensitisation</b> May cause sensitisation of susceptible persons.
<b>11.1.4</b>	<b>Subacute, subchronic and prolonged toxicity</b> not determined
<b>11.1.5</b>	<b>STOT-single exposure</b> May irritate skin.
<b>11.1.6</b>	<b>STOT-repeated exposure</b> Prolonged skin contact may defat the skin and produce dermatitis.
<b>11.1.7</b>	<b>Aspiration hazard</b> Aspiration hazard if swallowed - can enter lungs and cause damage.

**12. ECOLOGICAL INFORMATION**

<b>12.1</b>	<b>Toxicity</b>
<b>12.1.1</b>	<b>Aquatic toxicity</b> LC50/96h/rainbow trout =10<LC/EC LC50/96h/algae =10mg/l LC50/96h/Sheephead minnows =May cause long-term adverse effects in the aquatic environment.

**PRF Label off**

Date 7.12.2017

Previous date: 28.11.2017

- 12.1.2 Toxicity to other organisms**  
May cause long-term adverse effects in the aquatic environment. Very toxic to fish. Very toxic to algae.
- 12.2 Persistence and degradability**
- 12.2.1 Biodegradation**  
Bioaccumulation is unlikely.
- 12.2.2 Chemical degradation**  
Readily biodegradable, according to appropriate OECD test.
- 12.3 Bioaccumulative potential**  
Bioaccumulation is unlikely.
- 12.4 Mobility in soil**  
not determined
- 12.5 Results of PBT and vPvB assessment**  
not determined
- 12.6 Other adverse effects**  
not determined

**13. DISPOSAL CONSIDERATIONS**

- 13.1 Waste treatment methods**  
Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

**14. TRANSPORT INFORMATION**

- |  |                |
|--|----------------|
| <b>14.1 UN number</b>  | 1950           |
| <b>14.2 UN proper shipping name</b>  | Aerosols       |
| <b>14.3 Transport hazard class(es)</b>   | 2.1            |
| <b>14.4 Packing group</b>  | 2              |
| <b>14.5 Environmental hazards</b>  | not determined |
| <b>14.6 Special precautions for users</b>  |                |
| <b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> |                |

**15. REGULATORY INFORMATION**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
2B - Aerosols
- 15.2 Chemical safety assessment**  
not determined

**16. OTHER INFORMATION**

- 16.1 Additions, Deletions, Revisions**  
REGULATION (EC) No 453/2010
- 16.2 Key or legend to abbreviations and acronyms**  
not determined
- 16.3 Key literature references and sources for data**  
not determined

**PRF Label off**

Date 7.12.2017

Previous date: 28.11.2017

---

- 16.5 List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements**
- |        |   |
|--------|---|
| R12    | Extremely flammable.  |
| R38    | Irritating to skin.   |
| R43    | May cause sensitization by skin contact.  |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R65    | Harmful: may cause lung damage if swallowed.  |
| R67    | Vapours may cause drowsiness and dizziness.   |
- 16.8 Additional information available from:**  
tilaukset(at)taerosol.com